

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3252	(399/328,69,330,331,341).ccls.	US-PGPUB; USPAT	OR	ON	2010/10/13 10:56
L2	10562	((second\$3 or auxiliary) near5 ((fix\$3 or fus\$3 or fixat\$3 or fusat\$3 or anchor\$3) near (unit or device or member or roller))) and temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L3	1296	L1 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L4	7	(flow near tester near softening near temperature) and (flow starting temperature) and toner and (release near agent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L5	18	((flow near tester) or flow\$tester) and ((flow near (start\$3 or begin or beginning)) or flow\$start\$3) and (softening near temperature) and (toner with (release near agent)) and (("1/2" near method) or (half near method) or half\$method)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L6	3252	L1 or L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L7	1291	(koh.in. near ishigami.in.) (hiroyuki.in. near fujikawa.in.) (nobuyoshi.in. near sugahara.in.) (naoki.in. near okamoto.in.) (yoshinobu.in. near baba.in.) (takayuki.in. near itakura.in.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L8	652	("399".clas. or g03g\$.ipc.) and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56

L9	45	L8 and (fix\$3 or fus\$3 or fixat\$3 or fusat\$3 or anchor\$3) and gloss\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L10	105	g03g\$.ipc. and (second\$4 and (fix\$3 or fus\$3 or fixat\$3 or fusat\$3 or anchor\$3) and gloss\$3)	JPO	OR	ON	2010/10/13 10:56
L11	5088	("399".clas. or g03g\$.ipc.) and (plurality with (fix\$3 or fus\$3 or fixat\$3 or fusat\$3 or anchor\$3) with (unit or member or device or means))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L12	104	L11 and temperature and gloss and transition	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L13	63	L11 and temperature and gloss and (flow near6 temperature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L14	29	("399".clas. or g03g\$.ipc.) and (gloss\$3 near (fix\$3 or fus\$3 or fixat\$3 or fusat\$3 or anchor\$3) near (unit or member or device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L15	276	("399".clas. or g03g\$.ipc.) and ((fix\$3 or fus\$3 or fixat\$3 or fusat\$3 or anchor\$3) near (series or serial or sequence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L16	505	("399".clas. or "347".clas. or g03g\$.ipc.) and ((fix\$3 or fus\$3 or fixat\$3 or fusat\$3) with (temperature) with ("11"\$1 or "12"\$1 or "13"\$1 or "14"\$1 or "15"\$1 or "16"\$1 or "17"\$1 or "18"\$1 or "19"\$1 or "20"\$1 or "21"\$1 or "22"\$1 or "23"\$1 or "24"\$1 or "25"\$1 or "26"\$1 or "27"\$1 or "28"\$1 or "29"\$1 or "30"\$1 or "31"\$1 or "32"\$1 or "33"\$1 or "34"\$1) WITH (DEGREE)) and ((fix\$3 or fus\$3 or fixat\$3 or fusat\$3) with (temperature) with ("14"\$1 or "15"\$1 or "16"\$1 or "17"\$1 or "18"\$1 or "19"\$1 or "20"\$1 or "21"\$1 or "22"\$1 or "23"\$1 or "24"\$1 or "25"\$1 or "26"\$1 or "27"\$1 or "28"\$1 or "29"\$1 or "30"\$1 or "31"\$1 or "32"\$1 or "33"\$1 or "34"\$1) WITH (DEGREE))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56

L17	293	L16 and (((second or secondary or auxiliary) near5 (fix\$3 or fus\$3 or fixat\$3 or fusat\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L18	327	("399".clas. or "347".clas. or g03g\$.ipc.) and ((fix\$3 or fus\$3 or fixat\$3 or fusat\$3) with (temperature) with ((("11"\$1 or "12"\$1 or "13"\$1 or "14"\$1 or "15"\$1 or "160" or "23"\$1 or "24"\$1 or "25"\$1 or "26"\$1 or "27"\$1 or "28"\$1 or "29"\$1 or "30"\$1 or "31"\$1 or "320") near5 (DEGREE))) and ((fix\$3 or fus\$3 or fixat\$3 or fusat\$3) with (temperature) with ((("14"\$1 or "15"\$1 or "16"\$1 or "17"\$1 or "18"\$1 or "190" or "28"\$1 or "29"\$1 or "35"\$1 or "36"\$1 or "37"\$1 or "30"\$1 or "31"\$1 or "32"\$1 or "33"\$1 or "34"\$1) near5 (DEGREE)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L19	185	L18 and (((second or secondary or auxiliary) near5 (fix\$3 or fus\$3 or fixat\$3 or fusat\$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56
L20	223	(L4 L5 L6 L8 L9 L10 L12 L13 L14 L15 L17 L19) and @pd>"20100414"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/13 10:56

### EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L21	1	((toner or developer) and (fix\$3 or fus\$3 or fixat\$3 or fusat\$3) and ((flow or start\$3 or begin\$4) near temperature) and ((soften\$3 near temperature) or (glass near transition)) and ((peak near temperature) or (endothermic near peak)) and ((minimum or low or lowest or coolest) near temperature)). clm.	US-PGPUB; UPAD	OR	ON	2010/10/13 15:11
L22	1	((toner or developer) and (fix\$3 or fus\$3 or fixat\$3 or fusat\$3) and ((flow or start\$3 or begin\$4) near temperature) and ((soften\$3 near temperature) or (glass near transition)) and ((minimum or low or lowest or coolest) near temperature)). clm.	US-PGPUB; UPAD	OR	ON	2010/10/13 15:11

L23	21	((toner or developer) and (fix\$3 or fus\$3 or fixat\$3 or fusat\$3) and ((flow or start\$3 or begin \$4) near temperature) and ((soften\$3 near temperature) or (glass near transition)) ).clm.	US-PGPUB; UPAD	OR	ON	2010/10/13 15:12
-----	----	--	-------------------	----	----	------------------

**10/ 13/ 2010 3:54:39 PM****C:\ Documents and Settings\ Iroth\ My Documents\ EAST\ Workspaces\ 10-540-562.wsp**